

POINTER ARITHMETIC ARRAYS, POINTERS AND STRUCTS

Problem Solving with Computers-I

C++

```
#include <iostream>
using namespace std;

int main(){
    cout<<"Hola Facebook\n";
    return 0;
}
```



Two important facts about Pointers

- 1) A pointer can only point to one type –(basic or derived) such as `int`, `char`, a `struct`, another pointer, etc.
- 2) After declaring a pointer: `int *ptr;`
`ptr` doesn't actually point to anything yet. We can either:
 - make it point to something that already exists, or
 - allocate room in memory for something new that it will point to
 - Null check before dereferencing

Arrays and pointers

	100	104	108	112	116
ar	20	30	50	80	90

- `ar` is a pointer to the first element
- `ar[0]` is the same as `*ar`
- `ar[2]` is the same as `*(ar+2)`
- Use pointers to pass arrays in functions
- Use *pointer arithmetic* to access arrays more conveniently

Pointer Arithmetic

```
int arr[]={50, 60, 70};
```

```
int *p;
```

```
p = arr;
```

```
p = p + 1;
```

```
*p = *p + 1;
```


Passing arrays to functions

```
int main() {  
    int arr[]={50, 60, 70};  
  
}  
int sum(int b[], int len) {  
  
}
```

Code to demonstrate how
arrays are passed to
functions

```
void IncrementPtr(int *p){  
    p++;  
}
```

```
int arr[3] = {50, 60, 70};  
int *q = arr;  
IncrementPtr(q);
```



Which of the following is true after **IncrementPtr (q)** is called in the above code:


- A.** q points to the next element in the array with value 60
- B.** q points to the first element in the array with value 50

How should we implement `IncrementPtr()`, so that 'q' points to 60 when the following code executes?

```
void IncrementPtr(int **p){  
    p++;  
}
```

```
int arr[3] = {50, 60, 70};  
int *q = arr;  
IncrementPtr(&q);
```

- A. `p = p + 1;`
- B. `&p = &p + 1;`
- C. `*p = *p + 1;`
- D. `p = &p+1;`



Demo

- In class demo to show how you would create an array of structs, initialize them and pass the array to a function

Pointer Arithmetic Question

How many of the following are invalid?

- I. pointer + integer ($\text{ptr}+1$)
- II. integer + pointer ($1+\text{ptr}$)
- III. pointer + pointer ($\text{ptr} + \text{ptr}$)
- IV. pointer – integer ($\text{ptr} - 1$)
- V. integer – pointer ($1 - \text{ptr}$)
- VI. pointer – pointer ($\text{ptr} - \text{ptr}$)
- VII. compare pointer to pointer ($\text{ptr} == \text{ptr}$)
- VIII. compare pointer to integer ($1 == \text{ptr}$)
- IX. compare pointer to 0 ($\text{ptr} == 0$)
- X. compare pointer to NULL ($\text{ptr} == \text{NULL}$)

#invalid

A: 1

B: 2

C: 3

D: 4

E: 5

Pointer Arithmetic

- What if we have an array of large structs (objects)?
 - C++ takes care of it: In reality, `ptr+1` doesn't add 1 to the memory address, but rather adds the size of the array element.
 - C++ knows the size of the thing a pointer points to – every addition or subtraction moves that many bytes: 1 byte for a char, 4 bytes for an int, etc.

Complex declarations in C/C++

How do we decipher declarations of this sort?

```
int **arr[];
```

Read

- * as “pointer to” (always on the left of identifier)
- [] as “array of” (always to the right of identifier)
- () as “function returning” (always to the right ...)

For more info see:

http://ieng9.ucsd.edu/~cs30x/rt_lt.rule.html

Complex declarations in C/C++

Right-Left Rule

```
int **arr [];
```

Step 1: Find the identifier

Step 2: Look at the symbols to the right of the identifier. Continue right until you run out of symbols *OR* hit a *right* parenthesis ")"

Step 3: Look at the symbol to the left of the identifier. If it is not one of the symbols '*', '(', '[' just say it. Otherwise, translate it into English using the table in the previous slide. Keep going left until you run out of symbols *OR* hit a *left* parenthesis "(".

Repeat steps 2 and 3 until you've formed your declaration.

Illegal combinations include:

[]() - cannot have an array of functions

()() - cannot have a function that returns a function

()[] - cannot have a function that returns an array

Complex declarations in C/C++

```
int i;  
int *i;  
int a[10];  
int f( );  
int **p;  
int (*p)[ ];  
int (*fp)( );  
int *p[ ];  
int af[ ]( );  
int *f( );  
int fa()[ ];  
int ff()( );  
int (**ppa)[ ];  
int (*apa[ ])[ ] ;
```

(see <https://cdecl.org/>)